

ZDST6CX



2x Coaxial Speakers

Installation Tools Required


Vehicle used for installation:*

Toyota Hilux 2020 -> (Facelift)


Standard Stereo

**Some differences may occur between different car and year models.*


PH2 Screwdriver




5mm Drill




Plastic Pry Tool



Rivet Tool



6x Rivets (4.8mm)



PHOENIX GOLD

ZDST6CX Installation 1

Tools required:



1x PH2 Screwdriver




1x Plastic Pry Tool

1. Rear door removal



2. Remove the plastic panel



3. Unscrew the screw



4. Remove the armrest panel



ZDST6CX Installation 2

Tools required:



1x PH2 Screwdriver




1x Plastic Pry Tool

5. Remove the window switch panel




6. Unscrew the two screws



7. Remove window panel




8. Remove door panel



ZDST6CX Installation 3

Tools required:




1x Drill 5mm

9. Door panel removed




10. Drill out the OEM speaker



11. Disconnect the speaker connector



12. OEM speaker removed



ZDST6CX Installation 4

Tools required:



1x Rivet Tool




6x Rivets (4.8mm)


13. Connect speaker harness



14. Connect harness to the speaker



15. Rivet the speaker in place



16. Reassemble door in reverse order



On Behalf of the Phoenix Gold team,
Thank you for choosing us!

Your installation is complete and we hope that your new upgraded system will bring you joy and happiness for many years to come when listening to your favorite music. As always, our goal is bringing you The Gold Standard in Sound.



www.phoenixgold-eu.com